



環保物料專用
RoHS compliant

NOTES: UNLESS OTHERWISE SPECIFIED.

- 1、 Important Dim.: (A) (C)
- 2、 Electrical Character:
 - a、 100% Open/Short
 - b、 Contact Resistance:3 Ohms Max.
 - c、 Hi-Pot:DC300V/0.1S Min
 - d、 Insulation Resistance:5M Ohms Min.



Wire Diagram



Bill Of Material

No.	Vendor	Part	Material Name and Name	Unit	Qty
5	CXQS123	COVER	WHITE HDMI DUST COVER	PCS	2
4	CXQS123	Molding	Outer Over Moulding 45P PVC Color:Black	g	
3	CXQS123	Molding	internal mold LDPE Color:translucent	g	
2	CXQS067	CONN	HDMI A TYPE MALE TERMINAL GOLD PLATED IRON CASE GOLD PLATED BLACK RUBBER CORE	PCS	2
1	CXQS061	CABLE	(7/0.08TC*1P+1C+AL/MY)*5C+7/0.08TC*4C+ADB(16/4/0.12AL).PVC Jacket Color: Black OD5.2±0.15	mm	



DESCRIPTION(內容):
HDMI AM TO HDMI AM WIER


DRAWN(製圖):
Tom Liu
CHECKED(確認):
Jack Wu
APPROVAL(核准):
Kane He

GENERAL TOLERANCE		REV:	REV	DESCRIPTION	DATE
LINEAR	ANGLES	A/1			
X.: ±0.30	X°: ±5.0°	UNIT:	1	ORIGINAL	Nov-10-2021
X.X: ±0.20	X.X°: ±3.0°	mm	2		
X.XX: ±0.15	X.XX°: ±2.0°	SHEET:	3		
X.XXX: ±0.10	X.XXX°: ±1.0°	1/1	4		

PART NO:
(料 號) CHDMI-AM-AM-457
DWG NO(圖號): KWRD211110-020

A4

SCALE(比例):
1:XX



A

B

C

D

E